

In the Claims:

1. (Previously Presented) A portable device comprising:
 - a) a body;
 - b) memory within the body containing software and data relating to configuration information for a program on a host computing device; and
 - c) an interface associated with the memory and adapted to facilitate interaction with the host computing device;

the software adapted to automatically execute on the host computing device after the host computing device recognizes the presence of the portable device and instruct the host computing device to launch the program on the host computing device and provide a customized configuration for the program based on the data, and said software further adapted to delete records of user interaction from the host computing device at the end of a computing session involving the portable device, wherein said records include cookies, histories and information in cache.
2. (Original) The portable device of claim 1 wherein the program launched on the host computing device is a browser.
3. (Original) The portable device of claim 2 wherein the configuration information includes bookmarks to web sites, the bookmarks stored as the data on the portable device.
4. (Original) The portable device of claim 1 wherein the program launched on the host computing device controls interface settings for a user interface of the host computing device.
5. (Original) The portable device of claim 4 wherein the configuration information defines certain of the interface settings of the host computing device.
6. (Original) The portable device of claim 1 wherein the software is further adapted to cause the program launched on the host computing device to access the data in the memory instead of

select data on the host computing device, wherein the host computing device would normally access the select data on the host computing device when the portable device is not present.

7. (Original) The portable device of claim 1 wherein the software is adapted to emulate a file system resident on the host computing device when interacting with the host computing device.

8. (Original) The portable device of claim 1 wherein the software and the data are adapted to appear as a file system to the host computing device.

9. (Canceled).

10. (Original) The portable device of claim 1 wherein the interface is adapted to directly interface a port in the host computing device.

11. (Original) The portable device of claim 1 wherein the interface is adapted to provide a wireless interface with the host computing device.

12. (Original) The portable device of claim 1 wherein the software includes a plurality of keylets that are independently executable on the host computing device to provide at least one function, including recognizing the presence of the portable device and instructing the host computing device to launch the program on the host computing device and provide a customized configuration for the program.

13. (Original) The portable device of claim 1 wherein the software is further adapted to provide an authentication routine upon the host computing device recognizing the presence of the portable device and before instructing the host computing device to launch the program on the host computing device, the authentication routine including receiving authentication indicia from a user of the portable device via an interface on the host computing device and determining if the authentication indicia received from the user matches authentication indicia stored in the memory.

14. (Original) The portable device of claim 1 wherein the software is further adapted to use encryption to protect select data used during interaction and stored as the data.

15. (Original) The portable device of claim 1 wherein the software is further adapted to update the data based on changes to the data occurring while the software is executing on the host computing device.

16. (Currently Amended) A computer readable medium including software to reside on a portable device capable of interacting with a plurality of host computing devices, the software comprising instructions to:

- a) automatically execute on the host computing device after the host computing device recognizes the presence of the portable device;
- b) instruct the host computing device to launch a program resident on the host computing device;
- c) access configuration information stored on the portable ~~memory~~ device;
- d) customize the configuration of the program based on the configuration information; and
- e) delete records of user interaction from the host computing device at the end of a computing session involving the portable device wherein said records include cookies, histories and information in cache.

17. (Original) The computer readable medium of claim 16 wherein the program launched on the host computing device is a browser.

18. (Original) The computer readable medium of claim 17 wherein the configuration information includes bookmarks to web sites, the bookmarks stored as the data on the portable device.

19. (Original) The computer readable medium of claim 16 wherein the program launched on the host computing device controls interface settings for a user interface of the host computing device.
20. (Original) The portable device of claim 19 wherein the configuration information defines certain of the interface settings of the host computing device.
21. (Original) The computer readable medium of claim 16 comprising further instructions to cause the program launched on the host computing device to access the data in the memory instead of select data on the host computing device, wherein the host computing device would normally access the select data on the host computing device when the portable device is not present.
22. (Original) The computer readable medium of claim 16 wherein the software is adapted to emulate file system resident on the host computing device when interacting with the host computing device.
23. (Original) The computer readable medium of claim 16 wherein the software and the data stored on the portable device are adapted to appear as a file system to the host computing device.
24. (Canceled).
25. (Original) The computer readable medium of claim 16 wherein the software includes a plurality of keylets that are independently executable on the host computing device to provide at least one function, including recognizing the presence of the portable device, instructing the host computing device to launch the program on the host computing device and providing a customized configuration for the program.
26. (Original) The computer readable medium of claim 16 wherein the software is further adapted to provide an authentication routine upon the host computing device recognizing the presence of the portable device and before instructing the host computing device to launch the

program on the host computing device, the authentication routine including receiving authentication indicia from a user of the portable device via an interface on the host computing device and determining if the authentication indicia received from the user matches authentication indicia stored in the memory.

27. (Original) The computer readable medium of claim 16 wherein the software is further adapted to update the data based on changes to the data occurring while the software is executing on the host computing device.

28. (Currently Amended) A method comprising:

[[a))] recognizing the presence of a portable device having software at a host computing device;

[[b))] executing the software on the host computing device;

[[c))] launching a program resident on the host computing device based on the software;

[[d))] accessing configuration information for the software stored on the portable device;

[[e))] customizing the configuration of the program on the host computing device based on the configuration information; and

[[f))] deleting, as a function of the software on the portable device, records of user interaction from the host computing device at the end of a computing session involving the portable device wherein said records include cookies, histories and information in cache.

29. (Original) The method of claim 28 wherein the program launched on the host computing device is a browser.

30. (Original) The method of claim 29 wherein the configuration information includes bookmarks to web sites, the bookmarks stored as the data on the portable device.

31. (Original) The method of claim 28 wherein the program launched on the host computing device controls interface settings for a user interface of the host computing device.

32. (Original) The method of claim 31 wherein the configuration information defines certain of the interface settings of the host computing device.

33. (Canceled).

34. (Original) The method of claim 28 further comprising:

- a) executing an authentication routine based on the software;
- b) receiving authentication indicia from a user of the portable device via an interface on the host computing device; and
- c) determining if the authentication indicia received from the user matches authentication indicia stored on the portable device.

35. (Original) The method of claim 28 wherein the software is further adapted to update data stored on the portable device based on changes to the data occurring while the software is executing on the host computing device.